
Disabil Rehabil Assist Technol Downloaded from informahealthcare.com by University of Brighton on 07/07/11 For personal use only.



 $AM \begin{bmatrix} 0 \\ 0 \end{bmatrix} = \begin{bmatrix} 2 \\ 0 \end{bmatrix} = \begin{bmatrix}$ 

.

Methods

E A K \_ K \_ K \_ L K B; K, KKKK H K \_ K \_ K \_ ? E \_ CK ?

ŀ.

\* **\*** \*

A K 2 25% 25% 4KK \_ 4KK \_ 4K 2 4K 18 4K \_ 4K 2 4K 2

\* \*

•K 2 | . . . 2 \_ \_ . . -. 2 \_ \_ 2 | y . \_ •K 2 | •K | 2 \_


, + · · ·

A. 2.2 K K K = KA. 2.2 K K = KA. 2.2 K K = KA. 2.4 K K = KA. 3.4 K K = KA. 4.4 K K = KA. • • K? \_ \_I / \_ / AK 

## \* \* \*

.

Results



	II. M 22	<b>4</b> K → 2 y·		_
	<u> </u>			
	J	B	У	_
D	3.5( 59( )	-421. 3.5( 59( )-	J <sup>44</sup>	2 .)-335.1(I )2

- 83:1777 1782.
- 83:1777 1782. 18. I \_J, E\_\_G, \_\_. F ?\_K . A? \_\_\_\_ M \_\_\_\_\_1999;80:173 178. 19. G ? EL, \_\_\_? B, A\_\_ | K. K. K ? :  $2^{-y}$  ? K K \_\_\_\_K K ! \_ | . K K 2002;33:1327 G, KK 11 DH9( (8 95.87( ,)-60. D (16.2\_ | 30 )-5 | ( KK (16. ? ?79.3 | ) L( \_\_\_ | KK (18(| 303 (16( \_) ] J1.